

# Test Interruptions



**eTests**<sup>®</sup> | **TOPS**<sup>®</sup>**pro**<sub>enterprise</sub>  
CASAS

---

Online System

2017 National Summer Institute



## Contents

Overview .....	3
Steps to Interrupt a Test-in-Progress.....	4
Score the Test.....	4
Score at the Testing Station.....	4
Score at the Management Console.....	6
Abort the Test .....	8
Abort at the Testing Station.....	8
Abort at the Management Console.....	10
Exit the Test.....	12
Exit at the Testing Station .....	12
Exit at the Management Console .....	15
Reconnect a Suspended Test .....	17
Pause the Test .....	19
Pause at the Testing Station w/Ctrl + E.....	19
Pause at the Testing Station w/Pause Icon .....	21
Reporting a Testing Irregularity to CASAS.....	23
CASAS Contact Information .....	24
Training Support.....	24
Technical Support .....	24



## Overview

*In certain circumstances, a proctor may need to interrupt a test. If the circumstance compromises test security or integrity, the test should be aborted if web-based, or destroyed if paper-based, and the student should take the alternate form at the same level test upon return. Proctors should follow the local policy of their agency for permissible interruptions that are not likely to compromise test integrity.*

- Proctors may **Interrupt a Test** from the –
  - **Testing Station**, or the
  - **Management Console**.
- Proctors use one of **two** methods for interrupting a test –
  1. From the **Testing Station** –
    - Proctors use the **Ctrl + E** key-command.
  2. From the **Management Console** –
    - Proctors use the **Intervene** button.
- Proctors may choose one of **four** options for interrupting a test-in-progress –

1.

Score the test and end it now  
(no possibility to return to the test)

2.

Do not score the test and end it now  
(all answers will be deleted)

3.

Exit  
(student logs in at a later time to finish)

4.

Return to test

- Most interruptions with testing can be resolved within the local agency. Examples of testing interruptions include but are not limited to the following:
  - Administering the wrong test
  - Cheating
  - Illness during testing
  - Sudden, urgent, usually unexpected occurrence requiring immediate action
  - Computer malfunction
  - Lost connection to Internet
- Testing Irregularity
  - When a testing irregularity cannot be resolved at the local agency, please submit a [Testing Irregularity Report \(TIR\)](#) within the same day of the occurrence, or the next day at the very latest. CASAS will use this information to investigate.

## Steps to Interrupt a Test-in-Progress

### Score the Test

If a student indicates they are finished with the test, and the student spent enough time on the test even though time may remain to complete the test, you may **Interrupt** and **Score the Test-in-progress**. This may be done at the **Testing Station** or the **Management Console**.

### Score at the Testing Station

Step	Screen	Description
1.		<ul style="list-style-type: none"> <li>At the <b>Testing Station</b>,                             <ul style="list-style-type: none"> <li>Use the <b>Ctrl + E</b> key-command.</li> </ul> </li> <li>From the pop-up screen,                             <ul style="list-style-type: none"> <li>Click <b>Score the test and end it now.</b> <ul style="list-style-type: none"> <li>The test is closed, <b>Scored</b>, and recorded.</li> </ul> </li> </ul> </li> </ul> <p><i>Note!</i> There is no possibility for the student to return to the test.</p>
2.		<ul style="list-style-type: none"> <li>At the <b>Testing Station</b>,                             <ul style="list-style-type: none"> <li>The <b>Personal Score Report (PSR)</b> will automatically display (if enabled in session settings).</li> <li>Click the <b>right arrow</b> to continue.</li> </ul> </li> </ul>
3.		<ul style="list-style-type: none"> <li>The application returns to the <b>Menu</b> screen.</li> <li>If the student has more tests to take –                             <ul style="list-style-type: none"> <li>The student may click on the next test button and begin the test.</li> </ul> </li> </ul>
4.		<ul style="list-style-type: none"> <li>If no more tests are available for the student to take –                             <ul style="list-style-type: none"> <li>The student will <b>Logout</b>.</li> </ul> </li> </ul>

Step	Screen	Description
5.		<ul style="list-style-type: none"> <li>The application returns to the <b>Main</b> screen.</li> <li>The <b>Testing Station</b> remains active for the next student to begin testing – i.e., <b>Enter ID</b>.</li> <li>If not further testing will take place –                             <ul style="list-style-type: none"> <li><b>Exit</b> the <b>Testing Station</b> at top right.</li> <li><b>STOP</b> the <b>Session</b> at the <b>Management Console!</b></li> </ul> </li> </ul>





## RHAS Training Activity – Score at the Testing Station

- To view each other’s screen during each activity, pair-with the person seated next to you and decide who will be the **Proctor**, and who will be the **Student**.
- You may also have a group of three with one proctor in the middle and two students on each side.

ROLE	SCORE @ Testing Station
<b>PROCTOR – Management Console / Manage Session</b>	
<i>SIGN IN – Management Console</i>	<input type="checkbox"/>
<i>START – Appraisal session</i>	<input type="checkbox"/>
<i>ADD – Student station</i>	<input type="checkbox"/>
<b>STUDENT – Testing Station / Take a Test</b>	
<i>RUN – CASASWebTests.exe file</i>	<input type="checkbox"/>
<i>ENTER – “fictitious” ID</i>	<input type="checkbox"/>
<i>BEGIN – Reading Form 80R, answer 3-5 items at random</i>	<input type="checkbox"/>
<b>PROCTOR – Testing Station / Interrupt</b>	
<i>CTRL + E – Score the Test</i>	<input type="checkbox"/>
<b>STUDENT – Testing Station / Test Menu</b>	
<i>WAIT – for next activity</i>	<input type="checkbox"/>
<b>PROCTOR – Management Console / Manage Session</b>	
<i>REFRESH – Session Activity screen &amp; confirm student remains logged in.</i>	<input type="checkbox"/>

**Proceed with Score at the Management Console activity in same Role. ➔**

## Score at the Management Console

Step	Screen	Description
1.	 <p>Session full name: <b>ABE (LAB:CC - Intake: Appraisal)</b>            Site: <b>North Campus</b>            Supervisor: <b>Proctor 43</b>            Status: <b>Active</b>  <a href="#">Show configuration</a></p> <p>Station Full Name: [ ] Student: [ ]</p> <p>Remove CC-01 (Career Center) <b>Intervene</b> 555141083 - Melinda Acosta</p>	<ul style="list-style-type: none"> <li>At the <b>Management Console</b>,               <ul style="list-style-type: none"> <li>Click <b>Intervene</b>.</li> </ul> </li> </ul>
2.	 <p>Student Session Management <span>✕</span></p> <p>Station: <b>CC-01 (Career Center)</b> Laboratory: <b>Career Center</b></p> <p>Station's Current Student: <b>555141083 - Melinda Acosta</b>            Test in progress: <b>080M</b>            Forcefully terminate student testing session (end current test).            Record current given answers and score the test. <b>Score</b>            Abort the test, all answers given will be discarded! <b>Abort</b>            Suspend student testing session and disconnect the student.            Testing can be resumed later or in other session. <b>Disconnect</b></p> <p><b>Cancel</b></p>	<ul style="list-style-type: none"> <li>From the pop-up screen,               <ul style="list-style-type: none"> <li>Click <b>Score</b>.                   <ul style="list-style-type: none"> <li>The test is ended, <b>Scored</b>, and recorded.</li> </ul> </li> </ul> </li> </ul> <p><i>Note!</i> There is no possibility for the student to return to the test.</p>
3.	 <p><b>Confirmation</b>            Are you sure you want to terminate this test? This operation cannot be undone!  <b>Yes</b> No</p>	<ul style="list-style-type: none"> <li>From the pop-up message,               <ul style="list-style-type: none"> <li>Click <b>Yes</b>.                   <ul style="list-style-type: none"> <li>The test is ended, <b>Scored</b>, and recorded.</li> </ul> </li> </ul> </li> </ul>
4.	 <p><b>The testing session state is invalid for this request.</b>            Please press OK to restart the application.  <b>OK</b></p>	<ul style="list-style-type: none"> <li>At the <b>Testing Station</b>,               <ul style="list-style-type: none"> <li>No <b>Personal Score Report (PSR)</b> will display (even if enabled in session settings).</li> <li>The pop-up message (at left) will display when a test is <b>Scored</b> from the <b>Management Console</b>.</li> <li>Click <b>Ok</b>.</li> </ul> </li> </ul>



Step	Screen	Description
5.		<ul style="list-style-type: none"> <li>The application returns to the <b>Main</b> screen.</li> <li>The <b>Testing Station</b> remains active for the next student to begin testing – i.e., <b>Enter ID</b>.</li> <li>If no further testing will take place –             <ul style="list-style-type: none"> <li>Exit the <b>Testing Station</b> at top right.</li> <li><b>STOP</b> the <b>Session</b> at the <b>Management Console!</b></li> </ul> </li> </ul>

## RHAS Training Activity – Score at the Management Console

- Proceed with this activity in the same **Proctor** and **Student** roles.





ROLE	SCORE @ Management Console
<b>STUDENT – Testing Station / Take a Test</b>	
BEGIN – Math Form 80M	<input type="checkbox"/>
<b>PROCTOR – Management Console / Manage Session</b>	
REFRESH – Session Activity screen & confirm student is taking Test Form 80M	<input type="checkbox"/>
<b>PROCTOR – Management Console / Interrupt</b>	
INTERVENE – Score the Test	<input type="checkbox"/>
<b>STUDENT – Testing Station / Continue</b>	
OK – Restart the application	<input type="checkbox"/>
<b>PROCTOR – Management Console / Manage Session</b>	
REFRESH – Session Activity screen & confirm student is logged out of the application.	<input type="checkbox"/>

Proceed with *Abort at the Testing Station* activity and switch Roles. ➔

## Abort the Test

If a student just began taking a test (less than five items) and does not have enough time to complete the test in one sitting, or the test appears not to be the correct test for the student, you may **Interrupt and Abort the Test-in-progress**. This may be done at the **Testing Station** or the **Management Console**.

### Abort at the Testing Station

Step	Screen	Description
1.		<ul style="list-style-type: none"> <li>At the <b>Testing Station</b>, <ul style="list-style-type: none"> <li>Use the <b>Ctrl + E</b> key-command.</li> </ul> </li> <li>From the pop-up screen, <ul style="list-style-type: none"> <li>Click <b>Do not score the test and end it now</b>.</li> <li>The test is <b>deleted</b>.</li> </ul> </li> </ul> <p><i>Note!</i> All answers will be deleted and no test record is recorded.</p>
2.	<p><b>Test Menu</b></p> 	<ul style="list-style-type: none"> <li>The <b>Test Menu</b> is reset and ready for when the student returns.</li> </ul>
3.		<ul style="list-style-type: none"> <li>The student should <b>Logout</b> at top right.</li> </ul>
4.		<ul style="list-style-type: none"> <li>The application returns to the <b>Main</b> screen.</li> <li>The <b>Testing Station</b> remains active for the next student to begin testing – i.e., <b>Enter ID</b>.</li> <li>If no further testing will take place – <ul style="list-style-type: none"> <li><b>Exit</b> the <b>Testing Station</b> at top right.</li> <li><b>STOP</b> the <b>Session</b> at the <b>Management Console!</b></li> </ul> </li> </ul>
5.	<p><i>Note!</i> If the <b>Aborted</b> test was incorrect for the student,</p> <ul style="list-style-type: none"> <li>The proctor must consult the testing coordinator for assistance before the student may begin another test.</li> <li>The testing coordinator may need to override the next-assigned test if necessary, or direct the proctor to test the student with a different session.</li> </ul>	





## RHAS Training Activity – Abort at the Testing Station

- Switch **Proctor** and **Student** roles.

<b>ROLE</b>	<b>ABORT @ Testing Station</b>
<b><i>PROCTOR – Management Console / Manage Session</i></b>	
<i>SIGN IN – Management Console</i>	<input type="checkbox"/>
<i>START – Appraisal session</i>	<input type="checkbox"/>
<i>ADD – Student station</i>	<input type="checkbox"/>
<b><i>STUDENT – Testing Station / Take a Test</i></b>	
<i>RUN – CASASWebTests.exe file</i>	<input type="checkbox"/>
<i>ENTER – “fictitious” ID</i>	<input type="checkbox"/>
<i>BEGIN – Reading Form 80R, answer 3-5 items at random</i>	<input type="checkbox"/>
<b><i>PROCTOR – Testing Station / Interrupt</i></b>	
<i>CTRL + E – Do Not Score</i>	<input type="checkbox"/>
<b><i>STUDENT – Testing Station / Test Menu</i></b>	
<i>WAIT – for next activity</i>	<input type="checkbox"/>
<b><i>PROCTOR – Management Console / Manage Session</i></b>	
<i>REFRESH – Session Activity screen &amp; confirm student remains logged in.</i>	<input type="checkbox"/>

**Proceed with Abort at the Management Console activity in same Roles. →**

## Abort at the Management Console

Step	Screen	Description
1.		<ul style="list-style-type: none"> <li>At the <b>Management Console</b>, <ul style="list-style-type: none"> <li>Click <b>Intervene</b>.</li> </ul> </li> </ul>
2.		<ul style="list-style-type: none"> <li>From the pop-up screen, <ul style="list-style-type: none"> <li>Click <b>Abort</b>. <ul style="list-style-type: none"> <li>The test is <b>deleted</b>.</li> </ul> </li> </ul> </li> </ul> <p><i>Note!</i> All answers will be deleted and no test record is recorded.</p>
3.		<ul style="list-style-type: none"> <li>From the pop-up message, <ul style="list-style-type: none"> <li>Click <b>Yes</b>. <ul style="list-style-type: none"> <li>The test is deleted.</li> </ul> </li> </ul> </li> </ul>
4.		<ul style="list-style-type: none"> <li>At the <b>Testing Station</b>, <ul style="list-style-type: none"> <li>The pop-up message (at left) will display when a test is <b>Aborted</b> from the <b>Management Console</b>.</li> <li>Click <b>Ok</b>.</li> </ul> </li> </ul>

Step	Screen	Description
5.		<ul style="list-style-type: none"> <li>The application returns to the <b>Main</b> screen.</li> <li>The <b>Testing Station</b> remains active for the next student to begin testing – i.e., <b>Enter ID</b>.</li> <li>If no further testing will take place –             <ul style="list-style-type: none"> <li><b>Exit</b> the <b>Testing Station</b> at top right.</li> <li><b>STOP</b> the <b>Session</b> at the <b>Management Console!</b></li> </ul> </li> </ul>

## RHAS Training Activity – Abort at the Management Console

- Proceed with this activity in the same **Proctor** and **Student** roles.

ROLE	ABORT @ Management Console
<b>STUDENT – Testing Station / Take a Test</b>	
<i>BEGIN – Reading Form 80R, answer 3-5 items at random</i>	<input type="checkbox"/>
<b>PROCTOR – Management Console / Manage Session</b>	
<i>REFRESH – Session Activity screen &amp; confirm student is taking Test Form 80R</i>	<input type="checkbox"/>
<b>PROCTOR – Management Console / Interrupt</b>	
<i>INTERVENE – Abort</i>	<input type="checkbox"/>
<b>STUDENT – Testing Station / Continue</b>	
<i>OK – Restart the application</i>	<input type="checkbox"/>
<b>PROCTOR – Management Console / Manage Session</b>	
<i>REFRESH – Session Activity screen &amp; confirm student is logged out.</i>	<input type="checkbox"/>




**Proceed with *Exit at the Testing Station* activity in same Roles. ➔**

## Exit the Test

If a student has been taking a test and cannot complete the test in the sitting, you may **Interrupt and Exit the Test-in-progress**. This will suspend the test until the student can return and finish. This may be done at the **Testing Station** or the **Management Console**.

**CAUTION!** Suspending a test should *only* be done on rare occasion and *not* routine practice. Any suspended test may compromise test security or integrity of the assessment. Proctors should follow the local policy of their agency for permissible interruptions that are not likely to compromise test security or test integrity.

## Exit at the Testing Station

Step	Screen	Description
1.		<ul style="list-style-type: none"> <li>At the <b>Testing Station</b>,                             <ul style="list-style-type: none"> <li>Click the <b>Ctrl + E</b> key-command.</li> </ul> </li> <li>From the pop-up screen,                             <ul style="list-style-type: none"> <li>Click <b>Exit</b>.                                     <ul style="list-style-type: none"> <li>The test is <b>suspended</b>.</li> </ul> </li> </ul> </li> </ul> <p><i>Note!</i> The student is allowed to log in later to finish the test.</p>
2.		<ul style="list-style-type: none"> <li>If no further testing will take place –                             <ul style="list-style-type: none"> <li>Exit the <b>Testing Station</b> at top right.</li> </ul> </li> </ul>
3.		<ul style="list-style-type: none"> <li>If further testing will take place –                             <ul style="list-style-type: none"> <li>The proctor must <b>Disconnect</b> the test from the <b>Testing Station</b>.                                     <ul style="list-style-type: none"> <li><u>Before</u> another student can begin testing, and</li> <li><u>Before</u> you can <b>STOP</b> the <b>Session</b>.</li> </ul> </li> </ul> </li> </ul>

Step	Screen	Description
4.	<p>Session full name: <b>ABE (LAB:CC - Intake: Appraisal)</b>            Site: <b>North Campus</b>            Supervisor: <b>Proctor 43</b>            Status: <b>Active</b>  <input type="button" value="Show configuration"/></p> <p>Station Full Name: CC-01 (Career Center)    Student: 555141083 - Melinda Acosta  <input type="button" value="Remove"/>    <input type="button" value="Intervene"/>    <input type="button" value="Score"/></p>	<ul style="list-style-type: none"> <li>At the <b>Management Console</b>,               <ul style="list-style-type: none"> <li>Click <b>Intervene</b>.</li> </ul> </li> </ul>
5.	<p>Station: <b>CC-01 (Career Center)</b>    Laboratory: <b>Career Center</b></p> <p>Station's Current Student: <b>555141083 - Melinda Acosta</b>            Test in progress: <b>080R</b>            Forcefully terminate student testing session (end current test)            Record current given answers and score the test    <input type="button" value="Score"/>            Abort the test, all answers given will be discarded!    <input type="button" value="Abort"/>            Suspend student testing session and disconnect the student    <input type="button" value="Disconnect"/>            Testing can be resumed later or in other session.</p> <p><input type="button" value="Cancel"/></p>	<ul style="list-style-type: none"> <li>From the pop-up screen,               <ul style="list-style-type: none"> <li>Click <b>Disconnect</b>.                   <ul style="list-style-type: none"> <li>The test-in-progress is disconnected from the <b>Testing Station</b> and suspended.</li> <li>The student is automatically logged out of the <b>Testing Session</b>.</li> </ul> </li> </ul> </li> </ul>
6.	<p>15-May-17 1:12:58 PM    <input type="button" value="OK"/></p> <p><b>eTests CASAS</b>  <input type="text" value="Enter your ID"/>  <input type="button" value="→"/></p>	<ul style="list-style-type: none"> <li>The <b>Testing Station</b> is now available for the next student to begin testing – i.e., <b>Enter ID</b>.</li> <li>If no further testing will take place –               <ul style="list-style-type: none"> <li><b>Exit</b> the <b>Testing Station</b> at top right.</li> <li><b>STOP</b> the <b>Session</b> at the <b>Management Console</b>!</li> </ul> </li> </ul>

**RHAS Training Activity on next page.**

## RHAS Training Activity - Exit at the Testing Station

- Proceed with this activity in the same **Proctor** and **Student** roles.


<b>ROLE</b>	<b>EXIT @ Testing Station</b>
<b>STUDENT – Testing Station / Take a Test</b>	
ENTER – “fictitious” ID (use same student as previous activity).	<input type="checkbox"/>
BEGIN – Reading Form 80R, answer 3-5 items at random.	<input type="checkbox"/>
<b>PROCTOR – Testing Station / Interrupt</b>	
CTRL + E – Exit the test	<input type="checkbox"/>
<b>STUDENT – Testing Station / Test Menu</b>	
WAIT – for next activity.	<input type="checkbox"/>
<b>PROCTOR – Management Console / Manage Session</b>	
REFRESH – Session Activity screen & confirm logged-on student is inactive.	<input type="checkbox"/>
INTERVENE – Disconnect student’s test from testing station.	<input type="checkbox"/>
REFRESH – Session Activity screen & confirm student is logged out.	<input type="checkbox"/>

**Proceed with Reconnect a Suspended Test activity in same Role. ➔**



## Exit at the Management Console

Step	Screen	Description				
1.	<p>Session full name: ABE (LAB:CC - Intake: Appraisal)            Site: North Campus            Supervisor: Proctor 43            Status: Active            Show configuration</p> <table border="1"> <thead> <tr> <th>Station Full Name</th> <th>Student</th> </tr> </thead> <tbody> <tr> <td>Remove CC-01 (Career Center)</td> <td>Intervene 555141083 - Melinda Acosta</td> </tr> </tbody> </table>	Station Full Name	Student	Remove CC-01 (Career Center)	Intervene 555141083 - Melinda Acosta	<ul style="list-style-type: none"> <li>At the Management Console,               <ul style="list-style-type: none"> <li>Click <b>Intervene</b>.</li> </ul> </li> </ul>
Station Full Name	Student					
Remove CC-01 (Career Center)	Intervene 555141083 - Melinda Acosta					
2.	<p>Station: CC-01 (Career Center) Laboratory: Career Center</p> <p>Station's Current Student: 555141083 - Melinda Acosta            Test in progress: 080R            Forcefully terminate student testing session (end current test)            Record current given answers and score the test [Score]            Abort the test, all answers given will be discarded [Abort]            Suspend student testing session and disconnect the student [Disconnect]            Testing can be resumed later or in other session.            [Cancel]</p>	<ul style="list-style-type: none"> <li>From the pop-up screen,               <ul style="list-style-type: none"> <li>Click <b>Disconnect</b>.                   <ul style="list-style-type: none"> <li>The test-in-progress is disconnected from the <b>Testing Station</b>, and suspended.</li> </ul> </li> </ul> </li> </ul> <p><i>Note!</i> The student is allowed to log in later to finish the test.</p>				
3.	<p>Session full name: ABE (LAB:CC - Intake: Appraisal)            Site: North Campus            Supervisor: Proctor 43            Status: Active            Show configuration</p> <table border="1"> <thead> <tr> <th>Station Full Name</th> <th>Student</th> </tr> </thead> <tbody> <tr> <td>Remove CC-01 (Career Center)</td> <td>Intervene</td> </tr> </tbody> </table>	Station Full Name	Student	Remove CC-01 (Career Center)	Intervene	<p><i>Note!</i> There is <u>no</u> Confirmation message.</p> <ul style="list-style-type: none"> <li>The student is automatically logged out of the <b>Session</b>.</li> </ul>
Station Full Name	Student					
Remove CC-01 (Career Center)	Intervene					
4.	<p>The testing session state is invalid for this request.            Please press Ok to restart the application.            [Ok]</p>	<ul style="list-style-type: none"> <li>At the <b>Testing Station</b>,               <ul style="list-style-type: none"> <li>The pop-up message (at left) will display when a test is <b>Disconnected</b> from the <b>Management Console</b>.</li> <li>Click <b>Ok</b>.</li> </ul> </li> </ul>				

Step	Screen	Description
5.		<ul style="list-style-type: none"> <li>The <b>Testing Station</b> is now available for the next student to begin testing – i.e., <b>Enter ID</b>.</li> <li>If no further testing will take place –             <ul style="list-style-type: none"> <li>Exit the <b>Testing Station</b> at top right.</li> <li><b>STOP</b> the <b>Session</b> at the <b>Management Console!</b></li> </ul> </li> </ul>

## RHAS Training Activity - Exit at the Management Console





- Proceed with this activity in the same **Proctor** and **Student** roles.



ROLE	EXIT @ Management Console
<b>STUDENT – Testing Station / Take a Test</b>	
CONTINUE – Reading Form 80R, answer 3-5 items at random	<input type="checkbox"/>
<b>PROCTOR – Management Console / Manage Session</b>	
REFRESH – Session Activity screen & confirm logged-on student is active.	<input type="checkbox"/>
INTERVENE – Disconnect student's test from testing station.	<input type="checkbox"/>
REFRESH – Session Activity screen & confirm student is logged out.	<input type="checkbox"/>
<b>STUDENT – Testing Station / Continue</b>	
OK – Restart the application	<input type="checkbox"/>
<b>STUDENT – Testing Station / Test Menu</b>	
WAIT – for next activity.	<input type="checkbox"/>

Proceed with **Reconnect a Suspended Test** activity in same Role. ➔

## Reconnect a Suspended Test

When a student returns to complete a suspended test, the proctor must reconnect the test before the student may continue and finish the test. This is done at the **Management Console**.

Step	Screen	Description
1.	 <p><b>Your last test was suspended and needs to be reconnected. Note to proctor: Click the Intervene button from the Session Activity window.</b></p> <p>Refresh Cancel</p>	<ul style="list-style-type: none"> <li>The message (at left) will display on the <b>Testing Station</b> –             <ul style="list-style-type: none"> <li>When the student returns to finish the test –                 <ul style="list-style-type: none"> <li>On <u>any</u> <b>Testing Station</b>,</li> <li>At <u>any</u> <b>Site</b> location.</li> </ul> </li> </ul> </li> </ul>
2.		<ul style="list-style-type: none"> <li>At the <b>Management Console</b>,             <ul style="list-style-type: none"> <li>Click <b>Refresh</b> if needed.</li> <li>Click <b>Intervene</b> for the <b>Student</b> with the <b>Station REQUEST</b> Status.</li> </ul> </li> </ul>
3.		<ul style="list-style-type: none"> <li>From the pop-up screen,             <ul style="list-style-type: none"> <li>Click <b>Reconnect</b>.</li> </ul> </li> <li>The suspended test is <b>Reconnected</b> and the student may –</li> </ul>
4.	 <p><b>Your last test was suspended and needs to be reconnected. Note to proctor: Click the Intervene button from the Session Activity window.</b></p> <p>Refresh Cancel</p>	<ul style="list-style-type: none"> <li>At the <b>Testing Station</b>,             <ul style="list-style-type: none"> <li>Click <b>Refresh</b>.</li> </ul> </li> <li>The student will continue the test at the same spot when the test was suspended.</li> <li>The test-timer (if enabled) will continue with remaining time available.</li> </ul>

Step	Screen	Description
5.		<ul style="list-style-type: none"> <li>If no more tests are available for the student to take –                             <ul style="list-style-type: none"> <li>The student will <b>Logout</b>.</li> </ul> </li> </ul>
6.		<ul style="list-style-type: none"> <li>If no further testing will take place –                             <ul style="list-style-type: none"> <li>Exit the <b>Testing Station</b> at top right.</li> <li><b>STOP</b> the <b>Session</b> at the <b>Management Console!</b></li> </ul> </li> </ul>

## RHAS Training Activity – Reconnect a Suspended Test

- Proceed with this activity in the same **Proctor** and **Student** roles.

ROLE	RECONNECT @ Management Console
<b>STUDENT – Testing Station /Take a Test</b>	
ENTER – “fictitious” ID (use same student as previous activity).	<input type="checkbox"/>
<b>PROCTOR – Management Console / Manage Session</b>	
REFRESH – Session Activity screen & confirm student is logged in.	<input type="checkbox"/>
INTERVENE – Reconnect student’s test.	<input type="checkbox"/>
<b>STUDENT – Testing Station /Take a Test</b>	
REFRESH – testing station screen	<input type="checkbox"/>
WAIT – for next activity	<input type="checkbox"/>

Proceed with *Exit at the Management Console* activity in same Role. ➔

Afterwards,

Proceed with *Pause at the Testing Station* activities in same Role. ➔

## Pause the Test

If a student needs to take a brief break during the test, you may **Interrupt and Pause the Test-in-progress**. This can only be done at the **Testing Station**.

### Pause at the Testing Station w/Ctrl + E

Step	Screen	Description
1.		<ul style="list-style-type: none"> <li>At the <b>Testing Station</b>,                             <ul style="list-style-type: none"> <li>Click the <b>Ctrl + E</b> key-command.</li> </ul> </li> <li><b>Note!</b> This will automatically <b>Pause</b> the test-in-progress, including the test timer.</li> <li>When the student is ready to continue,                             <ul style="list-style-type: none"> <li>Click <b>Return to test</b>.</li> </ul> </li> </ul>
2.		<ul style="list-style-type: none"> <li>If no more tests are available for the student to take –                             <ul style="list-style-type: none"> <li>The student will <b>Logout</b>.</li> </ul> </li> </ul>
3.		<ul style="list-style-type: none"> <li>If no further testing will take place –                             <ul style="list-style-type: none"> <li><b>Exit the Testing Station</b> at top right.</li> <li><b>STOP the Session</b> at the <b>Management Console!</b></li> </ul> </li> </ul>

**RHAS Training Activity on next page.**

## RHAS Training Activity – Pause at the Testing Station with Ctrl + E

- Proceed with this activity in the same **Proctor** and **Student** roles.

ROLE	PAUSE @ Testing Station
<b>STUDENT – Testing Station / Take a Test</b>	
CONTINUE – Reading Form 80R, answer 3-5 items at random	<input type="checkbox"/>
<b>PROCTOR – Testing Station / Interrupt</b>	
CTRL + E – Key command	<input type="checkbox"/>
<b>STUDENT – Testing Station / Continue</b>	
RETURN TO TEST – Continue Reading Form 80R, answer 3-5 items at random	<input type="checkbox"/>
WAIT – for next activity.	<input type="checkbox"/>

Proceed with *next* activity in same Role. ➔

## Pause at the Testing Station w/Pause Icon

Step	Screen	Description
1.		<ul style="list-style-type: none"> <li>If <b>Pause</b> is <u>not enabled</u> in session settings, you may enable it from the <b>Tools</b> icon at top right of the test screen.</li> </ul> <p><b>Note!</b> On-screen <b>Tools</b> is <i>only</i> accessible from the <b>Test Menu</b> screen <u>before</u> the student clicks on a test button.</p>
2.		<ul style="list-style-type: none"> <li>If <b>Pause</b> is <u>enabled</u> in session settings, or is enabled from on-screen <b>Tools</b>, students may then,             <ul style="list-style-type: none"> <li>Click the <b>Pause</b> (  ) icon from the <b>Toolbar</b> during the test.</li> </ul> </li> </ul> <p><b>Note!</b> This will automatically <b>Pause</b> the test-in-progress, including the test timer.</p>
3.		<ul style="list-style-type: none"> <li>The pop-up message (at left) will display on the <b>Testing Station</b> screen until the student is ready to continue.             <ul style="list-style-type: none"> <li>Click <b>Return</b>.</li> </ul> </li> </ul>
4.		<ul style="list-style-type: none"> <li>If the student will not take any more tests,             <ul style="list-style-type: none"> <li>The student will <b>Logout</b>.</li> </ul> </li> </ul>
5.		<ul style="list-style-type: none"> <li>If no further testing will take place –             <ul style="list-style-type: none"> <li><b>Exit</b> the <b>Testing Station</b> at top right.</li> <li><b>STOP</b> the <b>Session</b> at the <b>Management Console!</b></li> </ul> </li> </ul>

## RHAS Training Activity – Pause at the Testing Station with Pause Icon

- Proceed with this activity in the same **Proctor** and **Student** roles.

ROLE	PAUSE @ Testing Station
<b>STUDENT – Testing Station / Take a Test</b>	
CONTINUE – Reading Form 80R, answer 3-5 items at random.	<input type="checkbox"/>
<b>STUDENT – Testing Station / Interrupt</b>	
PAUSE – Icon.	<input type="checkbox"/>
<b>STUDENT – Testing Station / Continue</b>	
RETURN– Continue Reading Form 80R.	<input type="checkbox"/>
END– Finish the test, Logout and Exit; OR*	<input type="checkbox"/>
<b>*PROCTOR – Management Console / Manage Session</b>	
REFRESH – Session Activity screen & confirm student is logged in.	<input type="checkbox"/>
INTERVENE – Score or Abort the test.	<input type="checkbox"/>
<b>*STUDENT – Testing Station / Continue</b>	
OK – Restart the application. EXIT – Application.	<input type="checkbox"/>
<b>PROCTOR – Management Console / Manage Session</b>	
STOP – Session	<input type="checkbox"/>
LOGOUT – Management Console	<input type="checkbox"/>
EXIT – Testing application.	<input type="checkbox"/>

If you made it this far, you experienced multiple ways to Interrupt a Test-in-Progress.

**CONGRATULATIONS!**

Feel free to repeat this entire module in reverse roles.



## Reporting a Testing Irregularity to CASAS

When a testing irregularity cannot be resolved at the local agency, please submit a **Testing Irregularity Report (TIR)** within the same day of the occurrence, or the next day at the very latest. CASAS will use this information to investigate.

How to complete and submit the TIR:

1. **COPY** the fillable TIR to your computer.
2. **OPEN** the fillable TIR from your computer and fill in the information.
3. **SAVE** the completed TIR to your computer.
4. **ATTACH** the completed TIR to an e - mail and send to [techsupport@casas.org](mailto:techsupport@casas.org) .

*Note!* If the same irregularity occurred with multiple students in the same session, submit one form.

TESTING IRREGULARITY REPORT (TIR)	
<b>Agency/Site ID:</b>	
<b>Agency Name:</b>	
IRREGULARITY DETAILS	
<b>Date:</b>	
<b>Time:</b>	
<b>Session Name:</b>	
<b>Station Name(s):</b>	
<b>Student ID(s):</b>	
<b>Student Name(s):</b>	
<b>Test Form(s):</b>	
<b>Irregularity Description:</b>          	

To download a fillable PDF form, [Click Here](#).

## CASAS Contact Information

**Mail:** CASAS  
5151 Murphy Canyon Rd., Suite 220  
San Diego, CA 92123-4339

**Website:** [www.casas.org](http://www.casas.org)

**Telephone:** (858) 292-2900 or toll free (800) 255-1036

**Fax:** (858) 292-2910

**E-mail:**

**General questions:** [casas@casas.org](mailto:casas@casas.org)

**Training questions:** [training@casas.org](mailto:training@casas.org)

**Ordering questions:** [orders@casas.org](mailto:orders@casas.org)

**California Accountability:** [capm@casas.org](mailto:capm@casas.org)

**California AEBG - Adult Ed Block Grant:** [aebg@casas.org](mailto:aebg@casas.org)

**CASAS Technology Support Team:** [techsupport@casas.org](mailto:techsupport@casas.org)

## Training Support

Help documentation is available at: [CASAS Home](#) > [Training and Support](#) >

- [eTests Online Help](#)
- [TOPSpro Enterprise Help](#).

Enroll in a complimentary workshop at: [CASAS Training Registration](#).

## Technical Support

The **CASAS Technology Support Team** is available at [techsupport@casas.org](mailto:techsupport@casas.org) to provide technical assistance for successful online implementation and uninterrupted test delivery. Team members are available 6:00 am – 5:00 pm (Pacific), M – F, at 1-800-255-1036, option 2.

If you have any questions or if there is anything that we may help you with, please let us know.

**CASAS Technology Support Team**

[techsupport@casas.org](mailto:techsupport@casas.org) | 1-800-255-1036, option 2



Comprehensive Adult Student Assessment Systems  
5151 Murphy Canyon Road, Suite 220  
San Diego, CA 92123-4339  
(858) 292-2900  
[www.casas.org](http://www.casas.org)

***"Helping individuals to improve basic skills for education and workplace success"***